

YOUR GUIDE TO EVENITY® BILLING AND CODING INFORMATION



FOR PHYSICIAN OFFICES
USING THE CMS 1500



FOR HOSPITALS/INSTITUTIONS
USING THE CMS 1450



The information provided in this guide is of a general nature and for informational purposes only. Coding and coverage policies change periodically and often without warning. The responsibility to determine coverage and reimbursement parameters, and appropriate coding for a particular patient and/or procedure, is always the responsibility of the provider or physician. The information provided in this guide should in no way be considered a guarantee of coverage or reimbursement for any product or service.



Call **Amgen Assist**® for assistance with specific payer requirements: **1-866-AMG-ASST** (1-866-264-2778) Monday through Friday, 9:00 am to 8:00 pm ET.

INDICATION

EVENITY® is indicated for the treatment of osteoporosis in postmenopausal women at high risk for fracture, defined as a history of osteoporotic fracture, or multiple risk factors for fracture; or patients who have failed or are intolerant to other available osteoporosis therapy. The anabolic effect of EVENITY® wanes after 12 monthly doses of therapy. Therefore, the duration of EVENITY® use should be limited to 12 monthly doses. If osteoporosis therapy remains warranted, continued therapy with an antiresorptive agent should be considered.

IMPORTANT SAFETY INFORMATION

POTENTIAL RISK OF MYOCARDIAL INFARCTION, STROKE, AND CARDIOVASCULAR DEATH EVENITY® may increase the risk of myocardial infarction, stroke and cardiovascular death. EVENITY® should not be initiated in patients who have had a myocardial infarction or stroke within the preceding year. Consider whether the benefits outweigh the risks in patients with other cardiovascular risk factors. Monitor for signs and symptoms of myocardial infarction and stroke and instruct patients to seek prompt medical attention if symptoms occur. If a patient experiences a myocardial infarction or stroke during therapy, EVENITY® should be discontinued.



04 [03=UN])1

Physician Office Billing Information

EVENITY® (romosozumab-aqqg) Coding Information

<u>`</u>	1 13.
Additional Claim Information in Box 19: (Electronic Form: Loop 2300, or 2400, NTE, 02) ¹	EVENITY® (romosozumab–aqqg), 210 mg
Coding Information in Box 24D: (Electronic Form: Loop 2400, SV1, 01–2) ¹	HCPCS code (J-code): J3111 (injection, romosozumab-aqqg, 1 mg) ²
Number of Units in Box 24G:	Indicate 210 units for one kit. Each EVENITY® kit contains one dose, which is 2 injections for a total dose of 210 mg. ³

The NDC number covers both injections.

Administration and Professional Service Coding Information*

/ tarriirii stratiori aria i Tort	23310 hat Det vice county in orrhadion
Coding Information in Box 24D: (Electronic Form: Loop 2400, SV1, 01–2) ¹	Healthcare providers should consult the payer or Medicare contractor to determine the code most appropriate for administration. It is the provider's responsibility to ensure that codes used are consistent with payer policy and reflect the service performed. • Determine appropriate product administration CPT code. • Relevant evaluation and management (E&M) code. Note when an E&M service is billed in addition to other professional services, the following modifier may be required to distinguish it as a separate service:25 (significant, separately identifiable evaluation and management service by the same physician on the same day of the procedure or other service)
Considerations:	Each EVENITY® kit contains one dose, which is 2 injections for a total dose of 210 mg. ³ Applicable codes cover both injections.

Diagnosis Code Information*

	Diagnosis coac inionna	
	ICD-10-CM Code in Box 21: (Electronic Form: Loop 2300, HI, 01-2) ¹	The following primary ICD-10-CM diagnosis code may be appropriate to describe patients with current osteoporotic fracture treated with EVENITY®: • M80.0 (Age-related osteoporosis with current pathological fracture)4 • To ensure specificity, 3 additional characters should follow M80.0 to describe laterality, anatomic site, and encounter type4 See page 6 for coding details for patients with current osteoporotic fracture.
		The following primary diagnosis code may be appropriate to describe patients without current osteoporotic fracture treated with EVENITY®: • M81.0 (Age-related osteoporosis without current pathological fracture) ⁴
		The following secondary diagnosis code may be appropriate to describe patients with a personal history of healed osteoporosis fracture: • Z87.310 Personal history of healed osteoporosis fracture ⁴

• For postmenopausal women with osteoporosis who are diagnosed as intolerant to other available osteoporosis therapies, consult the ICD-10-CM codes.

Call Amgen Assist® for support with billing and coding questions: 1-866-AMG-ASST (1-866-264-2778)

Monday through Friday, 9:00 am to 8:00 pm ET.

^{*}The sample codes are informational and not intended to be directive or a guarantee of reimbursement and include potential codes that would include FDA-approved indications for EVENITY®. Other codes may be more appropriate given internal system guidelines, payer requirements, practice patterns, and the services rendered.

Completing the CMS 1500 for Physician Offices

PICA 1. MEDICARE MEDICAID	TRICARE	CHAMP	/A GF	ROUP	FECA OTHE	R 1a. INSURED	'S I.D. NUN	MBER		(For P	Ple rogram in Ite	CA
(Medicare#) (Medicaid#)) [ID#/DoD#	(Member	ID#) 🗶 (ID	(#)	FECA OTHE BLK LUNG (ID#) (ID#)	XXX-	-XX-X	XXX				
2. PATIENT'S NAME (Last Name, Doe, Jane J	First Name, Middl	le Initial)	3. PATIEN	01 1930	SEX F X	4. INSURED'S	NAME (L: , Ja :			me, Middle Ir	nitia i)	
5. PATIENT'S ADDRESS (No., Str	reet)			IT RELATIONSHIP		7. INSURED'S						
1123 Main St	treet	STATE	Self	Spouse Ch	nild Other	CITY					STA	TE
Hometown		MA	o. nesen	VED I ON NOCC (JJL	Citt					John	
ZIP CODE	l	clude Area Code)	1			ZIP CODE			TELEPH	ONE (Includ	e Area Code)
01234 9. OTHER INSURED'S NAME (La		me, Middle Initial)	10. IS PAT	TENT'S CONDITIO	ON RELATED TO:	11. INSURED	'S POLICY	GROUF	OR FEC) A NUMBER		
							111					
a. OTHER INSURED'S POLICY O	R GROUP NUMB	ER	a. EMPLO	YMENT? (Current	or Previous)	a. INSURED'S	DATE OF	: ВІРТН ҮҮ 1 9 3 ()	м	SEX F 3	7
b. RESERVED FOR NUCC USE			b. AUTO A	ACCIDENT?	PLACE (State	b. OTHER CL	AIM ID (De	esignated	by NUCC	<u> </u>	<u>Le</u>	
c. RESERVED FOR NUCC USE			C OTHER	YES ACCIDENT?	X NO	c. INSURANC	C EMI			M NAME		
		_		YES	X NO							
	NAME		/50	(BOX 21) DIAGNOSIS			d. IS THERE ANOTHER HEALTH BENEFIT PLAN? YES X NO If yes, complete items 9, 9a, and 9d.					
(BOX 19) ADDITION	IAI RMI	BEFORE COMP	_	K ZI) DIAG NATURE O		13, INSURED				nplete items 9		
CLAIM INFORMATION	PICIN	IATURE I author vernment benefit	• • • • •	IESS OR IN	-	payment of		enefits t		rsigned phys		
ate EVENITY®		Ir										
osozumab-aqqg), 210 m	na³ —			onronriate il	D diagnosis							
	PRE	EGNANCY (LMP		opropriate ic flected in th	D diagnosis e patient's	SIGNED		IARI E T	O WORK I	N CURRENT	T OCCUPAT	ION
	PRE	EGNANCY (LMP	ode as re nedical re	eflected in the ecord. ICD-10	e patient's) code	SIGNED 16. DATES PA FROM	ATIENT UN				T OCCUPAT	ION YY
NAME OF REFERRING PROV	PRE	R SOURCE C	ode as re nedical re xample: I	eflected in the ecord. ICD-10 M80.0 (Age-	e patient's) code -related	16. DATES PARTIES FROM 18. HOSPITA	ATIENT UN	ВОХ	(24 G)	DAYS)	ION YY
19. ADDITIONAL CLAIM INFORM	VIDER OR OTHER	R SOURCE 0 ed by NUCC) P	ode as re nedical re xample: steopord	eflected in the ecord. ICD-10	e patient's) code -related	16. DATES PA	ATIENT UN	(BOX OR U	(24G) NITS:	DAYS		YY
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu	VIDER OR OTHER	R SOURCE Oped by NUCC) 210 mg	ode as re nedical re xample: steoporc athologic	offlected in the ecord. ICD-10 M80.0 (Age- osis with curr cal fracture).	e patient's) code -related	16. DATES P.M. FROM 18. HOSPITA FROM 20. OUTSID	Indica	(BOX OR U	(24G) NITS: 0 units	DAYS	kit. ³	YY
19. ADDITIONAL CLAIM INFORM EVENITY* (romosozu 21. Diagnosis or nature of	VIDER OR OTHER IATION (Designate umab-aqqq), 2 ILLNESS OR INJU	R SOURCE Odd by NUCC) P URY Relate A-L to ser	ode as re nedical re xample: steoporc athologic	offlected in the ecord. ICD-10 M80.0 (Age- osis with curr cal fracture).	e patient's O code -related rent	16. DATES PA FROM 18. HOSPITA FROM 20. OUTSID	Indica Each	(BOX OR U ate 21 EVEN	(24G) NITS: O units ITY® kit	DAYS	kit. ³	YY
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF	VIDER OR OTHER	R SOURCE Oped by NUCC) 210 mg	ode as re nedical re xample: steoporc athologic	offlected in the ecord. ICD-10 M80.0 (Age- osis with curr cal fracture).	e patient's O code -related rent	16. DATES P.M. FROM 18. HOSPITA FROM 20. OUTSID	Indica Each one o	(BOX OR U ate 21 EVEN dose, v	(24G) NITS: O units ITY® kit	DAYS for one l	kit. ³	YY
19. ADDITIONAL CLAIM INFORM EVENITY* (romosozu 21. DIAGNOSIS OR NATURE OF A. M80.0 E. L.	VIDER OR OTHER IATION (Designate umab-aqqg), 2 ILLNESS OR INJU B F J	R SOURCE O P 210 mg URY Relate A-L to ser C. I G. I	ode as re nedical re xample: steoporc athologic	offlected in the ecord. ICD-10 M80.0 (Age- posis with currical fracture).	e patient's O code -related rent D. L.	16. DATES PM FROM 18. HOSPITATE FROM 20. OUTSID YE 22. RESUBN CODE 23. PRIOR AU	Indica Each one o	(BOX OR U ate 21 EVEN dose, v	(24G) NITS: O units ITY® kit which is	for one la contain	kit. ³ s ions.	YY
19. ADDITIONAL CLAIM INFORM EVENITY* (romosozu 21. DIAGNOSIS OR NATURE OF A. L M80 · 0 E. L 24. A. DATE(S) OF SERVICE From T	VIDER OR OTHER IATION (Designate umab-aqqg), 2 ILLNESS OR INJU B. L F. L J. B. PLACE	R SOURCE OF C. I C. D. FROCI	ode as reported as reported as reported as reported at hological r	eflected in the ecord. ICD-10 M80.0 (Age-osis with curr cal fracture). w (24E) ICD In	e patient's O code -related rent D. H. L. DIAGNOS	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID YE 22. RESUBN 23. PRIOR AU	Indica Each one o	(BOX OR U ate 21 EVEN dose, v	X 24G) NITS: 0 units ITY® kit which is	for one la contain s 2 injecti	kit. ³ s ions.	S YY
19. ADDITIONAL CLAIM INFORM EVENITY* (romosozu 21. DIAGNOSIS OR NATURE OF A. M80.0 E. L 1. L 24. A. DATE(S) OF SERVICE From DD YY MM DD N455513088002 MI	VIDER OR OTHER IATION (Designate ILLNESS OR INJU B. F. J. J. B. PLACE SERVI L2.34	R SOURCE OF CE EMG CPT/HCl	ode as remedical reconditions of the property	M80.0 (Age- osis with curr cal fracture). W(24E) ICD In	e patient's) code -related rent D. L.	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID YE 22. RESUBN CODE 23. PRIOR AU F. S CHARG	Indica Each one o	(BOX OR U ate 210 EVEN dose, V	NITS: O units ITY® kit Which is	for one I	kit. ³ s ions.	S YY
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF A	VIDER OR OTHER IATION (Designate ILLNESS OR INJU B. F. J. J. B. PLACE SERVI L2.34	R SOURCE OF CE EMG CPT/HCl	ode as remedical reconditions of the property	eflected in the ecord. ICD-10 M80.0 (Age-osis with curr cal fracture). w (24E) ICD In	e patient's O code -related rent D. H. L. DIAGNOS	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID YE 22. RESUBN CODE 23. PRIOR AU F. S CHARG	Indica Each one o	(BOX OR U ate 210 EVEN dose, V	X 24G) NITS: 0 units ITY® kit which is	for one I	kit. ³ s ions.	S YY
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF A	VIDER OR OTHER IATION (Designate ILLNESS OR INJU B. F. J. J. B. PLACE SERVI L2.34	R SOURCE O P 210 mg URY Relate A-L to ser C. I G. I C. OF CE EMG CPT/HOI	ode as renedical reconditions of the below the	eflected in the ecord. ICD-10 M80.0 (Age-osis with curr cal fracture). w (24E) ICD In	e patient's O code -related rent D. H. L. DIAGNOS	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID YE 22. RESUBN CODE 23. PRIOR AU F. \$ CHARG	Indica Each one o	(BOX OR U ate 210 EVEN dose, V	NITS: O units ITY® kit Which is	for one la contain s 2 injecti	kit. ³ s ions.	S YY
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF A. M80.0 E	VIDER OR OTHER IATION (Designate umab-aqqg), 2 ILLNESS OR INJU B. F. J. B. PLACE D YY L2.34 21 1	R SOURCE P R SOURCE O P URY Relate A-L to ser C. I G. I K. I C. D. PROCC CE EMG CPT/HCI 1 J311 1 96XX	ode as renedical reconditions of the condition of the con	M80.0 (Age- osis with curr cal fracture). w (24E) ICD In ERVICES, OR SUP MODIFIER	e patient's O code -related rent D. L. L. L. E. DIAGNOS POINTER	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID VE 22. RESUBN 23. PRIOR AU F. \$ CHARG	Indica Each one o	(BOXOR United Street St	NITS: O units ITY® kit Which is	for one R t contain to 2 injecti	kit. ³ s ions.	S YY
19. ADDITIONAL CLAIM INFORM EVENITY* (romosozu 21. DIAGNOSIS OR NATURE OF A. LM80.0 E. L	VIDER OR OTHER NATION (Designate LATION (Designat	R SOURCE O D D D D D D D D D D D D D D D D D D	education of the control of the cont	w (24E) ICD In Incomplete (24E	e patient's O code -related rent D. L.	16. DATES P. FROM 18. HOSPIT/ FROM 20. OUTSID YE 22. RESUBN 23. PRIOR AU S CHARCE XX.	Indica Each one o	(BOXOR United 210 EVEN dose, viving 210 1	X 24G) NITS: 0 units ITY® kit which is PSOT III Plan QU	for one R t contain to 2 injecti	kit. ³ s ions.	S YY
19. ADDITIONAL CLAIM INFORM EVENITY* (romosozu 21. DIAGNOSIS OR NATURE OF A. LM80.0 E. L. 24. A. DATE(S) OF SERVICE From T MM DD YY MM DI N455513088002 MI O1 23 21 01 2 (BOX 24A) SHADED BOX: caid and commercial rs may require NDC rting for EVENITY®	VIDER OR OTHER MATION (Designate LATION (Designat	R SOURCE Old by NUCC) 210 mg URY Relate A-L to ser C. I G. I D. PROCI (Exp	DURES, SE ain Unusual POS A D) PRO PROPINS	M80.0 (Age- posis with curr cal fracture). W (24E) ICD In RIVICES, OR SUP Circumstances) MODIFIER DCEDURES Droduct adm	e patient's O code -related rent D. L.	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID YE 22. RESUBN 23. PRIOR AU XXX	Indicate Each one of the Indicate Each one of	(BOX) OR U DOR U EVEN OR GE OF THE TENT O	X 24G) NITS: 0 units ITY® kit which is PSOT III Plan QU	for one R t contain 5 2 injecti	kit. ³ s ions.	S YY
19. ADDITIONAL CLAIM INFORM EVENITY* (romosozu 21. DIAGNOSIS OR NATURE OF A. LM80.0 E. L. 24. A. DATE(S) OF SERVICE From T MM DD YY MM DI N455513088002 MI O1 23 21 01 2 (BOX 24A) SHADED BOX: caid and commercial rs may require NDC rting for EVENITY®	VIDER OR OTHER MATION (Designate LILNESS OR INJU B. F. J. B. PLACE D YY SERVI L12.34 21 1:	R SOURCE O D D D D D D D D D D D D D D D D D D	DURES, SE ain Unusual DURES OF A DURES O	Price ted in the ecord. ICD – 10 M80.0 (Age- posis with currical fracture). W (24E) ICD In PRIVICES, OR SUP Circumstances) MODIFIER DCEDURES Droduct adm IITY® kit conti	e patient's O code -related rent D. D. DIAGNOS POINTER S, SERVICES ninistration CP tains one dose	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID YE 22. RESUBN 23. PRIOR AU XXX	Indicate Each one of the Indicate Each one of	(BOX) OR U DOR U EVEN OR GE OF THE TENT O	X 24G) NITS: O units ITY® kit which is PSOT PROT PROT PROT NI	for one let contain 5 2 injection AL.	kit. ³ s ions.	S YY
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF A. LM80.0 E. L	VIDER OR OTHER MATION (Designate LILNESS OR INJU B. F. J. B. PLACE D YY SERVI L12.34 21 1:	R SOURCE R SOURCE OF CE EMG CPT/HCI 1 96xx (BOX 24) Determine app Please note: East	DURES, SE ain Unusual DURES OF A DURES O	Price ted in the ecord. ICD – 10 M80.0 (Age- posis with currical fracture). W (24E) ICD In PRIVICES, OR SUP Circumstances) MODIFIER DCEDURES Droduct adm IITY® kit conti	e patient's O code -related rent D. D. DIAGNOS POINTER S, SERVICES ninistration CP tains one dose	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID YE 22. RESUBN 23. PRIOR AU XXX	Indicate Each one of the Indicate Each one of	(BOX) OR U DOR U EVEN OR GE OF THE TENT O	X 24G) NITS: 0 units ITY® kit which is Which is NITS: 0 units ITY® kit which is ITY® kit which is	for one Fit contains 5 2 injection ALL.	kit. ³ s ions.	S YY
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF A. LM80.0 E. L	VIDER OR OTHER IATION (Designate umab-aqqg), 2 ILLNESS OR INJU B. F. J. B. PLACE D YY L2.34 21 1	R SOURCE R SOURCE OF CE EMG CPT/HCI 1 96xx (BOX 24) Determine app Please note: East	DURES, SE BILLION B	eflected in the cord. ICD-10 M80.0 (Age-osis with currical fracture). w (24E) ICD In	e patient's code related rent D. D. DIAGNOS POINTER S, SERVICES ninistration CP tains one dose ns.	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID YE 22. RESUBN 23. PRIOR AU XXX	Indicate Each one controlled as a set of the con	(BOX) OR U OR U OR U OR	NITS: O units ITY® kit which is Which is NITS: NITY® kit which is	for one Fit contains 2 injection 2. A.A	kit. ³ s ions.	NG ID. #
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF A. LM80.0 E. L. 24. A. DATE(S) OF SERVICE From T MM DD YY MM DI N455513088002 MI O1 23 21 01 2 (BOX 24A) SHADED BOX: icaid and commercial rrs may require NDC rting for EVENITY® nissions.	VIDER OR OTHER IATION (Designate umab-aqqg), 2 ILLNESS OR INJU B. F. J. B. PLACE SERVI L2.34 21 1	RESOURCE RESOUR	DURES, SE BILLION B	eflected in the cord. ICD-10 M80.0 (Age-osis with currical fracture). w (24E) ICD In	e patient's O code -related rent nd. D. H. L. E. DIAGNOS POINTER DIAGNOS POINTER E. DIAGNOS POINTER DIAGNOS DIAGNOS POINTER DIAGNOS POINTER DIAGNOS POINTER DIAGNOS D	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID 22. RESUBN 23. PRIOR AU XX.	Indicate Each one controlled as a set of the con	(BOX) OR U	NITS: O units ITY® kit which is Person II EPSOT II EPSOT II EPSOT II EN II NI II I	for one Fit contains 2 injection 2. A.A	kit. ³ S sions. J. RENDERIN PROVIDER	NG ID. #
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF A. LM80.0 E. L. 24. A. DATE(S) OF SERVICE From DD YY MM DI N455513088002 MI O1 23 21 01 2 (BOX 24A) SHADED BOX: caid and commercial rs may require NDC rting for EVENITY® nissions.	VIDER OR OTHER MATION (Designate LATION (Designat	RESINANCY (LIMIT OF THE PROPERTY OF THE PROPER	DURES, SE ain Unusual III ADD) PRO TOPPICATE Pach EVEN BEST CONTENT ACCOUNT N	my (24E) ICD In Incomplete Incomp	e patient's code code related rent D. H. L. DIAGNOS POINTER DIAGNOS POINTER Tains one dose ns.	16. DATES P. FROM 18. HOSPIT/ FROM 20. OUTSID 22. RESUBN 23. PRIOR AL XX. XX. XX. XX. XX. XX. 3. OR SUP Code. Which is 2 i	Indicate Each one of the Indicate Each one of	(BOX) OR U Date 21 EVEN dose, ONE DATE DATE DATE DATE DATE DATE DATE DAT	NITS: O units ITY® kit which is WIDEN H. FPSOT II FPSOT II FPSOT II NI NI AMOUNT	for one Fit contains 2 injection 2. A.A	kit. ³ S sions. J. RENDERIN PROVIDER	NG ID. #
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF A. LM80.0 E. L. 24. A. DATE(S) OF SERVICE From DD YY MM DD N455513088002 MI 01 23 21 01 2 (BOX 24A) SHADED BOX: caid and commercial rs may require NDC rting for EVENITY® nissions. 25. FEDERAL TAX I.D. NUMBER 11-111111 31. SIGNATURE OF PHYSICIAN	VIDER OR OTHER MATION (Designate LILNESS OR INJU B. F. J. J. B. PLACE D YY SERWI L2.34 21 1: OR SUPPLIER REDENTIALS OR SUPPLIER REDENTIALS OR SUPPLIER REDENTIALS The reverse	RESINANCY (LIMIT OF THE PROPERTY OF THE PROPER	DURES, SE ain Unusual III ADD) PRO TOPPICATE Pach EVEN BEST CONTENT ACCOUNT N	M80.0 (Age- posis with curr cal fracture). w (24E) ICD In RIVICES, OR SUP CITCUMSTANCES) MODIFIER DCEDURES Droduct adm NITY® kit contiboth injectio	e patient's code code related rent D. H. L. DIAGNOS POINTER DIAGNOS POINTER Tains one dose ns.	16. DATES P. FROM 18. HOSPITA FROM 20. OUTSID 22. RESUBN 23. PRIOR ALL XX. XX. XX. XX. XX. XX. XX. XX. XX. X	Indicate Each one of the Indicate Each one of	(BOX) OR U Date 210 G. DAY	NITS: O units ITY® kit which is WIDEN H. FPSOT II FPSOT II FPSOT II NI NI AMOUNT PH# (ID	for one Fit contains 2 injection 2. A.A	kit. ³ S sions. J. RENDERIN PROVIDER	NG ID. #
19. ADDITIONAL CLAIM INFORM EVENITY® (romosozu 21. DIAGNOSIS OR NATURE OF A. LM80.0 E. L	VIDER OR OTHER MATION (Designate LILNESS OR INJU B. F. J. J. B. PLACE D YY SERWI L2.34 21 1: OR SUPPLIER REDENTIALS OR SUPPLIER REDENTIALS OR SUPPLIER REDENTIALS The reverse	RESINANCY (LIMIT OF THE PROPERTY OF THE PROPER	DURES, SE ain Unusual III ADD) PRO TOPPICATE Pach EVEN BEST CONTENT ACCOUNT N	M80.0 (Age- posis with curr cal fracture). w (24E) ICD In RIVICES, OR SUP CITCUMSTANCES) MODIFIER DCEDURES Droduct adm NITY® kit contiboth injectio	e patient's code code related rent D. H. L. DIAGNOS POINTER DIAGNOS POINTER Tains one dose ns.	16. DATES P. FROM 18. HOSPIT/ FROM 20. OUTSID 22. RESUBN 23. PRIOR AL XX. XX. XX. XX. XX. XX. 3. OR SUP Code. Which is 2 i	Indicate Each one of the control of	BOX OR U Date 21 EVEN dose, V Downs 210 1 1 EXX s SINFO & B1	NITS: O units ITY® kit which is WIDEN H. EPSOT II FROM FROM NI NI AMOUNT PH# (D. vd	for one Fit contains 5 2 injection 5 2 injec	kit. ³ S sions. J. RENDERIN PROVIDER	NG ID. #

Hospital/Institutional Billing Information

EVENITY® (romosozumab-aqqg) Coding Information

Revenue Code in Box 42:

(Electronic Form: Loop 2400, SV201)⁵

Coding Information in Box 44:

(Electronic Form: Loop 2400, SV202-2 [SV202-1=HC/HP])⁵

Service Units in Box 46:

(Electronic Form: Loop 2400, SV205)5

Medicare: 0636, drugs requiring detailed coding.6

Other Payers: 0250, general pharmacy; OR 0636, if required by a given payer. 6.7

HCPCS Code (J-Code): J3111 (injection, romosozumab-aqqg, 1 mg)²

Indicate 210 units for one kit. Each EVENITY® kit contains one dose, which is 2 injections for a

total dose of 210 mg.³

The NDC number covers both injections.3

Administration Coding Information*

Revenue Code in Box 42:

(Electronic Form: Loop 2400, SV201)⁵

Description in Box 43:

(Not required by Medicare)⁵

Coding Information in Box 44:

(Electronic Form: Loop 2400, SV202-2 [SV202-1=HC/HP])^s

Considerations:

Appropriate revenue code for the cost center in which the service is performed.

Indicate drug name and unit of measure, for example, EVENITY® 210 mg.

Healthcare providers should consult the payer or Medicare contractor to determine the code most appropriate for administration. It is the provider's responsibility to ensure that codes used are consistent with payer policy and reflect the service performed.

- Determine appropriate product administration CPT code.
- Relevant evaluation and management (E&M) code. Note when an E&M service is billed in addition to other professional services, the following modifier may be required to distinguish it as a separate service: -.25 (significant, separately identifiable evaluation and management service by the same physician on the same day of the procedure or other service)

Each EVENITY® kit contains one dose, which is 2 injections for a total dose of 210 mg.³ Applicable codes cover both injections.

Diagnosis/Condition Code Information*

			_	
LO	ven	110	_	do :
RP	ven	1111	,	HP.

N/A

Appropriate ICD-10-CM code(s) for patient condition.

Sequencing of codes may vary based on patient's condition and payer's policy.

The following primary ICD-10-CM diagnosis code may be appropriate to describe patients with current osteoporotic fracture treated with EVENITY®:

ICD-10-CM Code in Box 66:

(Electronic Form: Loop 2300, HI01–2 [HI01–1=BK])^s

- M80.0_ _ _ (Age-related osteoporosis with current pathological fracture)⁴
 - To ensure specificity, 3 additional characters should follow M80.0 to describe laterality, anatomic site, and encounter type⁴

See page 6 for coding details for patients with current osteoporotic fracture.


The following primary ICD-10-CM diagnosis code may be appropriate to describe patients **without** current osteoporotic fracture treated with EVENITY®:

- **M81.0** (Age-related osteoporosis without current pathological fracture)⁴
- For postmenopausal women with osteoporosis who are diagnosed as intolerant to other available osteoporosis therapies, consult the ICD-10-CM codes.
- *The sample codes are informational and not intended to be directive or a guarantee of reimbursement and include potential codes that would include FDA-approved indications for EVENITY®. Other codes may be more appropriate given internal system guidelines, payer requirements, practice patterns, and the services rendered.
- Call Amgen Assist® for support with billing and coding questions: 1-866-AMG-ASST (1-866-264-2778)

 Monday through Friday, 9:00 am to 8:00 pm ET.

Completing the CMS 1450 Form for Hospitals









Examples of ICD-10-CM Codes Relevant for Patients With Current Osteoporotic Fracture Treated With EVENITY® (romosozumab-aqqg)⁴

Age-related osteoporosis with current pathological fracture (laterality) (anatomic site) (encounter type)*

Encounter Type[†]

Anatomic Site and Laterality	Initial encounter for fracture	Subsequent encounter for fracture with routine healing	Subsequent encounter for fracture with delayed healing	Subsequent encounter for fracture with nonunion	Subsequent encounter for fracture with malunion	Sequela
UNSPECIFIED SITE	M80.00XA	M80.00XD	M80.00XG	M80.00XK	M80.00XP	M80.00XS
SHOULDER						
Right	M80.011A	M80.011D	M80.011G	M80.011K	M80.011P	M80.011S
Left	M80.012A	M80.012D	M80.012G	M80.012K	M80.012P	M80.012S
Unspecified	M80.019A	M80.019D	M80.019G	M80.019K	M80.019P	M80.019S
HUMERUS						
Right	M80.021A	M80.021D	M80.021G	M80.021K	M80.021P	M80.021S
Left	M80.022A	M80.022D	M80.022G	M80.022K	M80.022P	M80.022S
Unspecified	M80.029A	M80.029D	M80.029G	M80.029K	M80.029P	M80.029S
FOREARM						
Right	M80.031A	M80.031D	M80.031G	M80.031K	M80.031P	M80.031S
Left	M80.032A	M80.032D	M80.032G	M80.032K	M80.032P	M80.032S
Unspecified	M80.039A	M80.039D	M80.039G	M80.039K	M80.039P	M80.039S
HAND						
Right	M80.041A	M80.041D	M80.041G	M80.041K	M80.041P	M80.041S
Left	M80.042A	M80.042D	M80.042G	M80.042K	M80.042P	M80.042S
Unspecified	M80.049A	M80.049D	M80.049G	M80.049K	M80.049P	M80.049S
FEMUR [‡]			,		,	
Right	M80.051A	M80.051D	M80.051G	M80.051K	M80.051P	M80.051S
Left	M80.052A	M80.052D	M80.052G	M80.052K	M80.052P	M80.052S
Unspecified	M80.059A	M80.059D	M80.059G	M80.059K	M80.059P	M80.059S
LOWER LEG						
Right	M80.061A	M80.061D	M80.061G	M80.061K	M80.061P	M80.061S
Left	M80.062A	M80.062D	M80.062G	M80.062K	M80.062P	M80.062S
Unspecified	M80.069A	M80.069D	M80.069G	M80.069K	M80.069P	M80.069S
ANKLE AND FOOT			,		,	
Right	M80.071A	M80.071D	M80.071G	M80.071K	M80.071P	M80.071S
Left	M80.072A	M80.072D	M80.072G	M80.072K	M80.072P	M80.072S
Unspecified	M80.079A	M80.079D	M80.079G	M80.079K	M80.079P	M80.079S
VERTEBRA(E)	M80.08XA	M80.08XD	M80.08XG	M80.08XK	M80.08XP	M80.08XS

See the next page for hypothetical scenarios illustrating specificity of these M80.0___ ICD-10-CM codes. The diagnosis code examples above and the hypothetical scenarios on back of the insert are informational and should not be a substitute for an independent clinical decision. They are not intended to be directive or a guarantee of reimbursement. The responsibility to determine coverage and reimbursement parameters, and appropriate coding for a particular patient, is always the responsibility of the provider or physician. Please contact your payer with any questions.

^{*}According to the ICD-10-CM Official Guidelines for Coding and Reporting, M80.0 codes are for patients who have a current pathologic fracture at the time of an encounter. The codes under M80 identify the site of the fracture. A code from category M80, not a traumatic fracture code, should be used for any patient with known osteoporosis who suffers a fracture, even if the patient had a minor fall or trauma, if that fall or trauma would not usually break a normal, healthy bone.8

[†]According to the ICD-10-CM Official Guidelines for Coding and Reporting, seventh character A is for use as long as the patient is receiving active treatment for the fracture. Assignment of the seventh character is based on whether the patient is undergoing active treatment and not whether the provider is seeing the patient for the first time. Seventh character D is to be used for encounters after the patient has completed active treatment. The other seventh characters, listed under each subcategory in the Tabular List, are to be used for subsequent encounters for treatment of problems associated with healing, such as malunions, nonunions, and sequelae.⁸

[‡]Osteoporotic fracture of femur is the approximate synonym of osteoporotic fracture of the hip.⁴

CLINICAL DIAGNOSIS DETAILS POTENTIAL ICD-10-CM CODE⁴

- Postmenopausal osteoporosis
- Vertebral fractures
- Encounter for evaluating and continuing treatment for the fractures

Age-related osteoporosis with current pathological fracture

M80.08XA

Initial encounter for fracture

Fracture of vertebrae

CLINICAL DIAGNOSIS DETAILS POTENTIAL ICD-10-CM CODE

- Postmenopausal osteoporosis
- Fracture of left wrist
- Follow-up encounter for routine fracture management (after active treatment has been completed)

Age-related osteoporosis with current pathological fracture

Left

Subsequent encounter for fracture with routine healing

Fracture of forearm

References: 1. Palmetto GBA. ASC 837 v5010 to CMS-1500 Crosswalk. http://www.palmettogba.com/Palmetto/Providers.Nsf/files/CMS1500_837v5010_Crosswalk.pdf/\$File/CMS1500_837v5010_Crosswalk.pdf. Accessed August 21, 2019. 2. Centers for Medicare and Medicaid Services. HCPCS Release Code Sets. https://www.cms.gov/Medicare/Coding/HCPCSReleaseCodeSets/Downloads/Other-Codes-2019-July-Revised.zip. Accessed August 21, 2019. 3. EVENITY® (romosozumab-aqqg) prescribing information, Amgen. 4. Centers for Medicare and Medicaid Services. ICD-10-CM Tabular List of Diseases and Injuries. https://www.cms.gov/files/zip/2021-code-tables-tabular-and-index-updated-12162020.zip. Accessed June 7, 2021. 5. Palmetto GBA. ASC 837I version S010A2 Institutional Health Care Claim to the CMS-1450 Claim Form Crosswalk. http://www.palmettogba.com/Palmetto/Providers.Nsf/files/EDI_837I_v5010A2_crosswalk.pdf/\$File/EDI_837I_v5010A2_crosswalk.pdf. Accessed August 21, 2019. 6. Value Healthcare Services. Understanding hospital revenue codes. http://valuehealthcareservices.com/education/understanding-hospital-revenue-codes/. Accessed August 21, 2019. 7. Centers for Medicare & Medicaid Services. Publication 100-04: Medicare Claims Processing Manual. Chapter 17: drugs and biologicals. Section 80.9: required modifiers for ESAs administered to non-ESRD patients. http://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/clm104c17.pdf. Accessed August 21, 2019.

Regulations-and-Guidance/Guidance/Manuals/downloads/clm104c17.pdf. Accessed August 21, 2019. **8.** CMS. ICD-10-CM official guidelines for coding and reporting, FY 2019. https://www.cdc.gov/nchs/icd/data/10cmguidelines-FY2019-final.pdf. Accessed August 21, 2019.

Considerations for Complete Claim Submission

CORRECT AND COMPLETE PATIENT

INFORMATION:

	Patient name – ID number
	Health insurer name and/or group numberProvider name
	National provider ID numberContact information
C	OLLECT PRODUCT AND BILLING INFORMATION:
	Correct HCPCS code and units
	Diagnosis code to the highest level of specificity — Primary diagnosis code
	ldentify appropriate administration code
	Determine prior authorization criteria (if required)
	Medicaid and commercial payers may require NDC reporting
C	UPPLEMENTAL DOCUMENTATION ONSIDERATIONS (INCLUDING TEST ESULTS AND DATE AS APPROPRIATE):
	Original diagnostic T-score and/or FRAX predicted fracture risk
	Previous therapies Reason for discontinuations
	Calcium levels
	Prior osteoporosis-related fracture history – Location of fracture
	(please provide ICD-10 number[s])
	Referring physician orders
	Risk factors for fracture
	Cardiovascular risk assessment — Confirm patients had no myocardial infarction or stroke events within the last 12 months
C	ONFIRM BILLING AND PAYER REQUIREMENTS:
	Omit or include punctuation as required in submitted claims
	Follow required time frame for submission after rendering service

Important Safety Information

POTENTIAL RISK OF MYOCARDIAL INFARCTION, STROKE, AND CARDIOVASCULAR DEATH

EVENITY® may increase the risk of myocardial infarction, stroke and cardiovascular death. EVENITY® should not be initiated in patients who have had a myocardial infarction or stroke within the preceding year. Consider whether the benefits outweigh the risks in patients with other cardiovascular risk factors. Monitor for signs and symptoms of myocardial infarction and stroke and instruct patients to seek prompt medical attention if symptoms occur. If a patient experiences a myocardial infarction or stroke during therapy, EVENITY® should be discontinued.

In a randomized controlled trial in postmenopausal women, there was a higher rate of major adverse cardiac events (MACE), a composite endpoint of cardiovascular death, nonfatal myocardial infarction and nonfatal stroke, in patients treated with EVENITY® compared to those treated with alendronate.

Contraindications: EVENITY® is contraindicated in patients with hypocalcemia. Pre–existing hypocalcemia must be corrected prior to initiating therapy with EVENITY®. EVENITY® is contraindicated in patients with a history of systemic hypersensitivity to romosozumab or to any component of the product formulation. Reactions have included angioedema, erythema multiforme, and urticaria.

Hypersensitivity: Hypersensitivity reactions, including angioedema, erythema multiforme, dermatitis, rash, and urticaria have occurred in EVENITY®-treated patients. If an anaphylactic or other clinically significant allergic reaction occurs, initiate appropriate therapy and discontinue further use of EVENITY®.

Hypocalcemia: Hypocalcemia has occurred in patients receiving EVENITY®. Correct hypocalcemia prior to initiating EVENITY®. Monitor patients for signs and symptoms of hypocalcemia, particularly in patients with severe renal impairment or receiving dialysis. Adequately supplement patients with calcium and vitamin D while on EVENITY®.

Osteonecrosis of the Jaw (ONJ): ONJ, which can occur spontaneously, is generally associated with tooth extraction and/or local infection with delayed healing, and has been reported in patients receiving EVENITY®. A routine oral exam should be performed by the prescriber prior to initiation of EVENITY®. Concomitant administration of drugs associated with ONJ (chemotherapy, bisphosphonates, denosumab, angiogenesis inhibitors, and corticosteroids) may increase the risk of developing ONJ. Other risk factors for ONJ include cancer, radiotherapy, poor oral hygiene, pre-existing dental disease or infection, anemia, and coagulopathy.

For patients requiring invasive dental procedures, clinical judgment should guide the management plan of each patient. Patients who are suspected of having or who develop ONJ should receive care by a dentist or an oral surgeon. In these patients, dental surgery to treat ONJ may exacerbate the condition. Discontinuation of EVENITY® should be considered based on benefit–risk assessment.

Atypical Femoral Fractures: Atypical low-energy or low trauma fractures of the femoral shaft have been reported in patients receiving EVENITY®. Causality has not been established as these fractures also occur in osteoporotic patients who have not been treated.

During EVENITY® treatment, patients should be advised to report new or unusual thigh, hip, or groin pain. Any patient who presents with thigh or groin pain should be evaluated to rule out an incomplete femur fracture. Interruption of EVENITY® therapy should be considered based on benefit-risk assessment.

Adverse Reactions: The most common adverse reactions (≥ 5%) reported with EVENITY® were arthralgia and headache.

EVENITY® is a humanized monoclonal antibody. As with all therapeutic proteins, there is potential for immunogenicity.

Please see EVENITY® full Prescribing Information, including Medication Guide.







